



UNITED STATES PATENT AND TRADEMARK OFFICE

A

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/932,140	08/17/2001	Brian Eric Bakke	IBM / 178	5139

7590

12/02/2005

Scott A. Stinebruner
Wood, Herron & Evans, L.L.P.
2700 Carew Tower
441 Vine Street
Cincinnati, OH 45202-2917

EXAMINER

MANOSKEY, JOSEPH D

ART UNIT

PAPER NUMBER

2113

DATE MAILED: 12/02/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 09/932,140	Applicant(s) BAKKE ET AL.	
	Examiner Joseph D. Manoskey	Art Unit 2113	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 01 November 2005.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-29 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-29 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 12 July 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1-8, 12-21, and 25-30 are rejected under 35 U.S.C. 102(b) as being anticipated by Duso et al., U.S. Patent 5,987,621, hereinafter referred to as "Duso".

3. Referring to claim 1, Duso teaches an apparatus with a plurality of physical stream server hardware, which is interpreted as access adapters consisting essentially of a circuit board, that are configured to access an electronic resource for the hosts on the network (See Fig. 1 and 2, and Col. 2, lines 30-48). Duso also teaches one or more stream servers, that are not connected to the display and keyboard, being kept in standby mode to be used as "hot spares" for any one of the other stream servers, this is interpreted as being spare adapters that are "shareable", function as a network, nonuser interface, and removably coupled (See Fig. 2, Col. 10, lines 23-28). Finally Duso teaches the apparatus in having two control servers, this is interpreted as control circuitry (See Fig. 2). The control server performs a stream server failover task (See Col. 4, lines 1-6).

4. Referring to claims 2, 3, and 5, Duso teaches the control server monitoring a heartbeat signal, or "event", from the stream servers to determine if a failover task should be performed (See Col. 4, lines 1-10).

5. Referring to claim 4, Duso discloses the control server having a client control failover mode where the control server informs the client of the stream server failure, which is interpreted as a notification (See Col. 4, lines 17-19).

6. Referring to claim 6, Duso teaches the apparatus having two control servers that where one is inactive and monitors a signal sent to it from the active control server. In the event the signal stops and the control server becomes inoperative a failover mechanism is used to start the inactive control server (See Col. 3, lines 30-60). This is interpreted as the control circuitry monitoring a process that monitors the event.

7. Referring to claim 7, Duso discloses the stream server, or access adapters having two ports and each port only accesses a subset of the shared resources (See Fig. 2).

8. Referring to claim 8, Duso teaches that any of the steam servers can be placed in a standby mode and be used as a "hot spare" (See Col. 10, lines 23-28). This is interpreted as reconfiguring a second adapter as a sharable spare adapter.

9. Referring to claims 12 and 14, Duso teaches the control server performing a failover task of a stream server (See Col. 4, lines 1-10). This is interpreted as the control circuitry replacing an access adapter and disabling the failed access adapter.

10. Referring to claim 13, Duso teaches that any of the steam servers can be placed in a standby mode and be used as a "hot spare" (See Col. 10, lines 23-28). This is interpreted as disabling the spare adapter.

11. Referring to claims 15 and 16, Duso discloses a method for an apparatus with a plurality of physical stream server hardware, which is interpreted as access adapters consisting essentially of a circuit board, which are configured to access an electronic resource for the hosts on the network (See Fig. 1 and 2, and Col. 2, lines 38-40). Duso also teaches one or more stream servers, that are not connected to the display and keyboard, being kept in standby mode to be used as "hot spares" for any one of the other stream servers, this is interpreted as being spare adapters that are "shareable", function as a network, nonuser interface, and removably coupled (See Fig. 2, Col. 10, lines 23-28). Also included is a control server that performs a stream server failover task for a failed stream server (See Col. 4, lines 1-6). The hot spares can replace any stream server, which is interpreted as replacing a first, second, and even a third stream server, or access adapter.

12. Referring to claims 17 and 18, Duso teaches the control server monitoring a heartbeat signal, or “event”, from the stream servers to determine if a failover task should be performed (See Col. 4, lines 1-10).

13. Referring to claim 19, Duso discloses the control server having a client control failover mode where the control server informs the client of the stream server failure, which is interpreted as a notification (See Col. 4, lines 17-19).

14. Referring to claim 20, Duso teaches the method for the apparatus having two control servers that where one is inactive and monitors a signal sent to it from the active control server. In the event the signal stops and the control server becomes inoperative a failover mechanism is used to start the inactive control server (See Col. 3, lines 30-60). This is interpreted as the control circuitry monitoring a process that monitors the event.

15. Referring to claim 21, Duso teaches that any of the steam servers can be placed in a standby mode and be used as a “hot spare” (See Col. 10, lines 23-28). This is interpreted as reconfiguring a second adapter as a sharable spare adapter.

16. Referring to claims 25 and 27, Duso teaches the control server performing a failover task of a stream server (See Col. 4, lines 1-10). This is interpreted as the control circuitry replacing an access adapter and disabling the failed access adapter.

17. Referring to claim 26, Duso teaches that any of the steam servers can be placed in a standby mode and be used as a "hot spare" (See Col. 10, lines 23-28). This is interpreted as disabling the spare adapter.

18. Referring to claim 28, Duso discloses the stream server, or access adapters having two ports and each port only accesses a subset of the shared resources (See Fig. 2).

19. Referring to claim 29, Duso discloses a program product for an apparatus with a plurality of physical stream server hardware, which is interpreted as access adapters consisting essentially of a circuit board, which are configured to access an electronic resource for hosts on the network (See Fig. 1 and 2, and Col. 2, lines 30-48). Duso also teaches one or more stream servers, that are not connected to the display and keyboard, being kept in standby mode to be used as "hot spares" for any one of the other stream servers, this is interpreted as being spare adapters that are "shareable", function as a network, nonuser interface, and removably coupled (See Fig. 2, Col. 10, lines 23-28). Also included is a control server that performs a stream server failover task for a failed stream server (See Col. 4, lines 1-6). The hot spares can replace any stream server, which is interpreted as replacing a first, second, and even a third stream server, or access adapter. Duso discloses the controller server being programmed to

perform the failover task of the stream servers, or access adapters, which is interpreted as a signal bearing recordable media bearing the program (See Col. 4, lines 1-6).

Claim Rejections - 35 USC § 103

20. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

21. Claims 9-11 and 22-24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Duso in view of Conseil, U.S. Patent 5,964,887.

22. Referring to claims 9 and 22, Duso teaches all the limitations (See rejection of claims 1 and 15 respectively) except for removal of a correlation token from the access adapter, however Duso does teach re-routing the data stream from a failed stream server, access adapter, to a spare stream server in a transparent mode, this is interpreted as passing the identity of the of the failed server to the spare server (See Col. 4, lines 15-17). Conseil teaches a system where a failed active station is switched over to a back-up station (See Col. 1, lines 15-18). Conseil discloses this being done with an identifier or "token" (See Col. 1, lines 46-49). It would be obvious to one of ordinary skill in the art at the time of the invention to combine the token passing of Conseil with the failover of stream servers of Duso. This would be obvious to one of

ordinary skill in the art at the time of the invention to do because provides transparent manner of switch to a back-up (See Conseil, Col. 1, lines 26-30).

23. Referring to claims 10 and 23, Duso and Conseil teach all the limitations (See rejection of claims 9 and 22 respectively) including passing the token to the spare or back-up adapter. Conseil teaches using the token to pass the identity to the back-up, this is interpreted as passing the token to the spare adapter (See Col. 1, lines 15-17 and 46-49).

24. Referring to claims 11 and 24, Duso and Conseil teach all the limitations (See rejection of claims 9 and 22 respectively) including the evaluation of the correlation token. Conseil discloses a station becoming operational if it is determined if the token is present, this is interpreted as evaluating the token (See Col. 1, lines 65-67).

Response to Arguments

25. Applicant's arguments, see page 7 of amendment, filed 01 November 2005, with respect to claim 29 have been fully considered and are persuasive. The 35 U.S.C. 101 rejection of claim 29 has been withdrawn.

26. Applicant's arguments, see pages 7 and 8 of amendment, filed 01 November 2005, with respect to the 35 U.S.C. 102(b) and 35 U.S.C. 103(a) rejection of claims 1-29 have been fully considered but they are not persuasive. The applicant argues that Duso

does not teach the adapter functioning as a network, nonuser interface, because Duso teaches a display and keyboard connected to the servers. The Examiner respectfully disagrees. Duso teaches the display and keyboard connected to the control servers, but not connected to the stream servers which the function as the shareable spare adapters and thus do not have a user interface (See Fig. 2). The above rejections have been amended to include this clarification.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph D. Manoskey whose telephone number is (571) 272-3648. The examiner can normally be reached on Mon.-Fri. (7:30am to 4pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Beausoliel can be reached on (571) 272-3645. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 09/932,140
Art Unit: 2113

Page 10

JDM
November 23, 2005


ROBERT GERUSOLIEL
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100